

THIS DRAWING IS PRODUCED FOR USE IN THIS PROJECT ONLY AND MAY NOT BE USED FOR ANY OTHER PURPOSE. NPS PROPERTY CONSULTANTS LTD ACCEPT NO LIABILITY FOR THE USE OF THIS DRAWING OTHER THAN THE PURPOSE FOR WHICH IT WAS INTENDED IN CONNECTION WITH THIS PROJECT AS RECORDED IN THE 'PURPOSE FOR ISSUE' AND 'FILE STATUS CODE'.


THIS DRAWING MAY NOT BE REPRODUCED IN ANY FORM WITHOUT PRIOR WRITTEN AGREEMENT OF NPS PROPERTY CONSULTANTS LTD.

© CROWN COPYRIGHT AND DATABASE RIGHTS 2015 ORDNANCE SURVEY LICENCE NUMBER 100019340

Bund height set as shown with 1:5 slopes either side. Spray-off grass along proposed swales with glyphosate, leave for recommended time & then strip topsoil to 150mm depth & store for re-use. Excavate swales & build-up bunds using this material. Form and cover with topsoil from store, cultivate & seed (March-May or September-October). Install gully at low point of swale with grating to restrict flow to agreed rates & connect to existing manhole spur with 100mm uPVC solid pipe.

FIRST ISSUE						
P0						
COMMENT						
REV	DRAWN	DATE	CHECKED	DATE	APPROVED	DATE

RESPONSIBILITY IS NOT ACCEPTED FOR OTHERS SCALING DIRECTLY FROM THIS DRAWING. DO NOT SCALE FROM THIS DRAWING, USE WRITTEN DIMENSIONS ONLY.



CLIENT
KHCC

PROJECT
Barbara Robson Flood Alleviation

TITLE
Bund & Drainage Details

in partnership with

nps group
NPS Humber Ltd

SCALES	DISCIPLINE	PROJECT NUMBER
1:500	L ARCH	16-1-1096
NPS 00000	DR L 001	P2
STATUS CODE	PURPOSE OF ISSUE	DRAWN
S2	INFORMATION	pl/pc